




# Grokking git by managing kivitendo

by Richardson & Büren

FrOSCon 2014  
23. / 24. 8. 2014  
Hochschule Rhein / Sieg

Jan Büren [jan@kivitendo-premium.de](mailto:jan@kivitendo-premium.de)



The screenshot shows a Git commit log with the following entries:

- Lokale Änderungen, nicht bereitgestellt
- froscon** Auf Wunsch von Jan am 2.3.2012 die Ausgabe Maske für den Kundenbericht
- logo kleiner gesetzt
- versionsnummer individualisiert
- ok, wir brauchen ein ordentliches logo oben. juhu!
- Eigene froscon templates
- master** **remotes/origin/master** PgUpgrade: nicht während eines Upgrades commiten
- Merge branch 'cvar\_partsgroup\_filter'
- changelog-Eintrag zu neuen Features bei benutzerdefinierten Variablen.
- Warengruppen-Filter f. CVars bei Waren

Author information for the 'froscon' commit:

- Jan Büren <jan@kivitendo-premium.de>

Author information for the 'master' commit:

- Sven Schöling <s.schoeling@linet-services.de>
- Bernd Bleßmann <bernd@kivitendo-premium.de>
- Bernd Bleßmann <bernd@kivitendo-premium.de>
- Bernd Blessmann <bibi@online.de>

# **git is a synonym for idiot ...**

“I’m an egotistical bastard, and I name all my projects after myself. First ‘Linux’, now ‘Git’.”

– Linus Torvalds

**... and is the source versioning system for the linux kernel**

# ... and therefore fits ME ;-)


- Does not forget anything (I do)
- Hard to change history
- Easy to find everything I or others have done
- Hard to break stuff
- Everyone can do anything (access full repo)
- Distributed (clone is a full backup)

# WHY GIT is Better than X ...


|                         |    |     |     |          |
|-------------------------|----|-----|-----|----------|
| Cheap Local Branching   | hg | bzr | svn | perforce |
| Everything is Local     |    |     | svn | perforce |
| Git is Fast             |    | bzr | svn | perforce |
| Git is Small            |    |     | svn |          |
| The Staging Area        | hg | bzr | svn | perforce |
| Distributed             |    |     | svn | perforce |
| Any Workflow            |    |     | svn | perforce |
| GitHub                  | hg |     | svn | perforce |
| Easy to Learn           |    |     |     | perforce |
| Git is the new standard | hg | bzr | svn | perforce |

Source: <http://thkoch2001.github.io/whygitisbetter/>


# Implements svn workflow



# ... or kernel dev workflows



# how we use git - main



# some basic git stuff ...

- `git clone https://github.com/kivitendo/kivitendo-erp.git`
- `git tag`
- `git log`
- `git checkout $STABLE_VERSION`
- `git checkout -b $MYBRANCH`
- `git branch`

```
schulung@eisvogel:/usr/local/src/kivitendo-froscon$ git tag
release-2.2.0
release-2.2.1
release-2.2.2
release-2.4.0
release-2.4.1
release-2.4.2
release-2.4.3
release-2.6.0
release-2.6.0beta1
release-2.6.0beta2
```

# my extensions vs main dev

If I upgrade to the next version my extensions may ...

- ... never conflict!
- ... always conflict!
- ... may not conflict.

# Never conflict.

Usually in custom templates or themes.

Here: custom print templates named froscon

```
root@eisvogel:/usr/local/src/kivitendo-froscon# git config --global user.email "jan@kivitendo-premium.de"  
root@eisvogel:/usr/local/src/kivitendo-froscon# git config --global user.name "Jan Büren"  
root@eisvogel:/usr/local/src/kivitendo-froscon# git add templates/froscon/
```

# always conflict.

In our project, all hardcoded entries:

```
$ cat VERSION  
$ 3.0.0
```

```
root@eisvogel:/usr/local/src/kivitendo-froscon# cat VERSION  
3.0.0-froscon
```

# may conflict

All project source files I modify ...

```
-rw-r--r-- 1 www-data www-data 5314 Aug 22 14:39 datev.pl  
-rw-r--r-- 1 root root 18071 Aug 23 11:26 dn.pl  
-rw-r--r-- 1 root root 51610 Aug 23 11:26 do.pl  
-rw-r--r-- 1 root root 4294 Aug 23 11:26 drafts.pl  
-rw-r--r-- 1 root root 12635 Aug 23 11:26 fu.pl
```

# my own commits

```
commit 5ad69b2ce9c267ab0a3791c25c8c379b59983864
Author: Jan Büren <jan@kivitendo-premium.de>
Date: Sat Aug 23 17:26:20 2014 +0200

    Auf Wunsch von Jan am 2.3.2012 die Ausgabe Maske für den Kundenbericht verkleinert

commit 52f94a35e8ab3b0b4b23eb30ce46596a7735b71a
Author: Jan Büren <jan@kivitendo-premium.de>
Date: Sat Aug 23 17:18:45 2014 +0200

    logo kleiner gesetzt

commit 2da6ccdd04b31d5574557ca00318ed2bfdcbf602
Author: Jan Büren <jan@kivitendo-premium.de>
Date: Sat Aug 23 17:10:52 2014 +0200

    versionsnummer individualisiert

commit be0cdf613a93bc1f8d7699261fc5b88931b602eb
Author: Jan Büren <jan@kivitendo-premium.de>
Date: Sat Aug 23 16:46:03 2014 +0200

    ok, wir brauchen ein ordentliches logo oben. juhu!

commit 18c48d72c8913238eb6e3ea767cae4e5153e18
Author: Jan Büren <jan@kivitendo-premium.de>
Date: Sat Aug 23 16:36:22 2014 +0200


    Eigene frosccon templates

commit 71f9c81096520daa18c603a001262f45824b7c69
Author: Moritz Bunkus <m.bunkus@linet-services.de>
Date: Mon Dec 10 11:25:09 2012 +0100

    Update Dokumentation
```

# 2 years later ...

... i completely forget the old extensions and the customer wants to upgrade safely to the current version ...



**Luckily, I have a project branch with git!!!!**

# git rebase against master

- git checkout master
- git pull
- git checkout froscon
- git rebase master

```
root@eisvogel:/usr/local/src/kivitendo-froscon# git checkout master
Gewechselt zu Zweig 'master'
root@eisvogel:/usr/local/src/kivitendo-froscon# git pull
Already up-to-date.
root@eisvogel:/usr/local/src/kivitendo-froscon# git checkout froscon
Gewechselt zu Zweig 'froscon'
root@eisvogel:/usr/local/src/kivitendo-froscon# git rebase master
Zunächst wird die Zweigspitze zurückgespult, um deine Änderungen
```

● Lokale Änderungen, nicht bereitgestellt

- **froscon** Auf Wunsch von Jan am 2.3.2012 die Ausgabe Maske für den Kundenbericht
- logo kleiner gesetzt
- versionsnummer individualisiert
- ok, wir brauchen ein ordentliches logo oben. juhu!
- Eigene froscon templates
- **master** **remotes/origin/master** PgUpgrade: nicht während eines Upgrades commiten
- Merge branch 'cvar\_partsgroup\_filter'
- changelog-Eintrag zu neuen Features bei benutzerdefinierten Variablen.
- Warengruppen-Filter f. CVars bei Waren

Jan Büren <jan@kivitendo-premium.de>  
Sven Schöling <s.schoeling@linet-services.de>  
Bernd Bleßmann <bernd@kivitendo-premium.de>  
Bernd Bleßmann <bernd@kivitendo-premium.de>  
Bernd Blessmann <bibi@online.de>

# my git config

```
$ git config --global user.email "jan@kivitendo-premium.de"  
$ git config --global user.name "Jan Büren"  
$ git config --global core.editor "vim"  
$ git config --global diff.tool vimdiff  
$ git config --global difftool.prompt false  
$ git config --global alias.d difftool
```

# The best online tutorial

**Work is Play!**

→ **manage your savegames with git**

<http://www-cs-students.stanford.edu/~blynn/gitmagic/>

# Thanks, questions and contact ...

Contact:

[jan@kivitendo-premium.de](mailto:jan@kivitendo-premium.de)

Tel. 0228 92 98 2012